


**FORSBERG®**

**ALL STEEL**

**G-SERIES PRESSURE**

**DESTONERS**



**Model G-4**



**Model G-2**

***Faster Finer Separation***

# *Applications Unlimited* and can be installed almost anywhere!

## **3** *Model Sizes For EFFICIENCY And VERSATILITY*

Each Forsberg G-Series Destoner features an all steel compact design with an enclosed drive system providing ease of installation and a greater safety margin.

- ▶ All metal design — allows easy cleaning
- ▶ Rubber Bushings
- ▶ Minimum maintenance
- ▶ Practically vibrationless — finely counter-balanced
- ▶ Improved drive and thrust
- ▶ New air-throat design — no loss of good product
- ▶ Fast — removes all heavy foreign material
- ▶ Easy to adjust — simple controls
- ▶ Durability — no shortcuts in construction

**Model G-2**



## ***FORSBERG'S G-Series Pressure Type***



# **DESTONER**

The basic principle of the Destoner—or stoner—involves flowing dry granular material over an inclined, vibrating, screen covered deck. Air from a pressure fan located in the body of the machine is forced up through the deck and through the bed of material. This steady air flow holds the product in **stratified flotation**—

the lighter material in the upper strata—as it flows down the inclined, vibrating deck. “Heavier-than-product” material such as stones, glass, metal, etc. travel uphill and **out**. The **Forsberg G-Series Destoners** are remarkably fast and thorough in heavy foreign material removal.


**FORSBERG**

**Model G-4**



**Forsberg  
Destoners Are  
Working Right Now  
Throughout the World**

- SPICES
- CHEMICALS
- COFFEE
- PEANUTS
- CEREALS
- BEANS
- WHEAT
- MINERALS
- ETC.



**FORSBERG**

*... the stoner  
other stoners  
are compared to !*

**FORSBERGS INC**  
Thief River Falls, MN. 56701  
Telephone: (218) 681-1927

# FORSBERG G-SERIES DESTONERS SPECIFICATIONS

<b>MODEL</b>	<b>G-2</b>	<b>G-4</b>	<b>G-6</b>
<b>Capacity up to</b>	3,000 lbs. per hr.	15,000 lbs. per hr.	18,000 lbs. per hr.
<b>Horsepower</b>	1	5 to 7½	10 to 15
<b>Height</b>	43½	65¾	71½
<b>Length</b>	43¾	52⅛	55¾
<b>Width</b>	21½	36¾	48¾
<b>Weight</b>	243 lbs.	525 lbs.	820 lbs.

NOTE: Capacities shown are only a guideline and may vary greatly according to product.

## FREE PRODUCT TEST

... will be run on your product at our research and testing facility. Your only cost is freight. Better yet, arrange to visit our plant personally and observe our machines working on **your** product.

For a completely

## DUST-FREE OPERATION

... look to the Forsberg totally enclosed vacuum destoners. Ask your Forsberg representative or write to address below.

# FORSBERG

Represented By:

## FORSBERGS INC.

P.O. Box 510

Thief River Falls, Minnesota 56701

Telephone: (218) 681-1927

Cable: Forsep TWX: 910-561-2634  
FORSBERGS, THRF